


Chapter 6 - Creating a New Project


Setting up the Project


SF Cli Project

1. Open VSCode and navigate to the folder where you want to create the Project - presumably `somefolder/sfdx_projects` or equivalent
2. Use CTRL+SHIFT+P to open the VSCode Command Panel and type SFDX, then select `SFDX:Create Project`



3. Select `empty` then type the name of your project and type Enter.
4. This will create a new SF Project. VS Code will ask if you want to open the folder - say yes.
5. You should now have the VScode Project open.
6. Select the Source tracking tab of VS Code and click "Initialize Repository"





7. Go to Bitbucket and create a repository.


Make it

"empty" and refuse to add a Gitignore.

8. Copy the URL given by Bitbucket in the format


`https://MYNAME@bitbucket.org/MYWORKSPACE/MYREPO.git` which should be displayed in the screen.

9. Select the three dots at the top right of the leftmost panel, then click "Add Remote"



10. Paste the URL, select "Add Remote from URL". When asked for the remote name, type `origin` then press enter.

11. At the bottom right, click yes on "Run Fetch periodically".



12. run `git push --set-upstream origin main` in the VSCode Terminal to sync your local and remote branches.

Fetch your Salesforce Metadata

1. Login to your Salesforce org. This can be done using CTRL+SHIFT+P `Authorize an Org`, or running `sf org login web --alias MyOrg` in the terminal where MyOrg is the name you want to give to the org.

2. Run `sf project retrieve start --target-org MyOrg --ignore-conflicts --wait 20`

3. Commit the state of the project and push

Continue working

Revision #2

Created 2025-05-19 14:46:54 UTC by Windyo

Updated 2025-05-19 15:49:13 UTC by Windyo